

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE J		PAGE OF PAGES 1	
2. AMENDMENT/MODIFICATION NO. 0001		3. EFFECTIVE DATE 23-Dec-1999		4. REQUISITION/PURCHASE REQ. NO. W81C8X-9271-2703		5. PROJECT NO.(If applicable)	
6. ISSUED BY CONTRACTING DIVISION USARMY ENGR DIST ST LOUIS 1222 SPRUCE ST RM 4.207 ST LOUIS,, MO 63103-2833		CODE B3P0000		7. ADMINISTERED BY (If other than item 6) See Item 6		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X		9A. AMENDMENT OF SOLICITATION NO. DACW43-00-B-0205	
				X		9B. DATED (SEE ITEM 11) 30-Nov-1999	
						10A. MOD. OF CONTRACT/ORDER NO.	
						10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended.							
Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u> 1 </u> copies of the document; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN THE REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.							
A.THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.							
B.THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).							
C.THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:							
D.OTHER (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) AUXILIARY LOCK CLOSURE AND DEBRIS OPENINGS, *READVERTISEMENT*, LOCK AND DAM NOS. 25 AND 24, MISSISSIPPI RIVER, LINCOLN AND PIKE COUNTIES, MISSOURI BID OPENING DATE AND TIME: All references to bid opening for referenced solicitation are hereby changed to read "10 January 2000". The time and place for receipt of bids remains the same. SECTION 00700 - Paragraph 52.232-5001, "Continuing Contracts", Paragraph (b), - Change "\$2,000.00" to read "1,600,000.00".							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) GAIL T. EVANS / TEAM LEADER			
15B. CONTRACTOR/OFFEROR _____ (Signature of person authorized to sign)		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED	

GENERAL REQUIREMENTS

Page 01025-2, Paragraph 1.5.2. Delete this paragraph in its entirety and replace with the following paragraph:

- 1.5.2 Install Replacement Auxiliary Gate. Payment for the installation of the replacement auxiliary gate will be made at the contract Bid Item sum for Installation of Replacement Auxiliary Gate, which price and payment shall constitute full compensation for the work described in SECTION 02495 - AUXILIARY MITER GATE INSTALLATION. This payment item also includes work shown on drawing S-18.

Page 01025-3, Paragraph 1.8.1. Delete this paragraph in its entirety and replace with the following paragraph:

- 1.8.1 Miter Gate Machinery Pit Demolition. Payment for demolition associated with the miter gate machinery pit covers will be made at the contract Bid Item sum for Miter Gate Machinery Pit - Demolition, which price and payment shall constitute full compensation for the demolition work shown on drawings S-13 and S-19. This payment item includes work on both the intermediate wall and the river wall. This payment item also includes esplanade demolition work shown on drawing S-21.

Page 01025-3, Paragraph 1.8.2. Delete this paragraph in its entirety and replace with the following paragraph:

- 1.8.2 Miter Gate Machinery Pit Concrete Restoration. Payment for restoration of concrete associated with the miter gate machinery pit covers will be made at the contract Bid Item sum for Miter Gate Machinery Pit - Concrete Restoration, which price and payment shall constitute full compensation for work associated with preparation of the seats for the pit covers shown on drawings S-13 and S-19. This payment item includes work on both the intermediate wall and the river wall. Payment for the neoprene pads shown on drawings S-13 and S-19 is included in this payment item. Payment for the precast concrete covers is not included in this payment item. This payment item also includes esplanade restoration work as shown on drawing S-21.

Page 01025-3, Paragraph 1.8.3. Delete this paragraph in its entirety and replace with the following paragraph:

- 1.8.3 Miter Gate Machinery Pit Precast Covers. Payment for fabrication, installation and acceptance testing of the miter gate machinery pit precast concrete covers will be made at the contract Bid Item sum for Miter Gate Machinery Pit - Precast Covers, which price and payment shall constitute full compensation for the precast cover portion of the work shown on drawings S-13 and S-19, and the work shown on drawings S-14 and S-20. Payment for the fabrication and installation of new handrail and the modification of existing handrail shown on drawings S-14 and S-20 are part of this payment item. This payment item includes work on both the intermediate wall and the river wall. This payment item also includes esplanade cover work as shown on drawing S-21.

Page 01025-3, Paragraph 1.9.2. Delete this paragraph in its entirety and replace with the following paragraph:

1.9.2 Demolition and Recess Installation. Payment for demolition associated with the bulkhead recesses and installation of the recesses in the auxiliary lock chamber walls will be made at the contract Bid Item sum for Bulkhead Recesses - Demolition and Recess Installation, which price and payment shall constitute full compensation for the demolition portion of the work shown on drawing S-10 and the recess work shown on drawings S-10 and S-11. This payment item includes work on both the intermediate wall and the river wall. This payment item also includes work as shown on drawing S-17.

Page 01300-2, Paragraph 3.2. Delete the last two sentences in this paragraph.

Page 01300-2, Paragraph 3.4. Delete the last sentence in this paragraph.

Page 01300-3, Paragraph 3.10. Delete this paragraph in its entirety and replace with the following:

"3.10 SUBMITTALS REQUIRED WITHIN 15 DAYS AFTER RECEIPT OF NOTICE OF AWARD.

<u>Specification Section/Para No.</u>	<u>Description of Submittal</u>
00800-18	ACCIDENT PREVENTION PROGRAM
00800-24	STATEMENT OF REQUIRED INSURANCE
01130-1.3.1	ENVIRONMENTAL PROTECTION PLAN
01440-3.5	QUALITY CONTROL PLAN"

Section 01310. Delete this section in its entirety.

Page 01440-7, Paragraph 3.9. Reword the last sentence in the first paragraph to read as follows:

"These records shall include the work of subcontractors and suppliers and shall include, as a minimum, the following information:"

Page 01440-8, Paragraph 3.11. Delete this paragraph in its entirety.

TECHNICAL PROVISIONS

Page 02275, Paragraph 2.2. Delete this paragraph in its entirety and replace with the following:

"2.2 GRADED STONE C

Stone to be used for flattening the upstream slope of the rock dam shall be Graded Stone C well-graded within the prescribed limits shown below. Neither the width nor the thickness of any piece shall be less than one-third of its length.

GRADED STONE C

<u>STONE WEIGHT</u> <u>POUNDS(SSD)</u>	<u>CUMULATIVE PERCENT</u> <u>FINER BY WEIGHT</u>
400	100
250	70-100
100	50-80
30	32-58
5	15-34
1	2-20
Less than .5 inch maximum dimension	0-5

5 percent of the material can weigh more than 400 pounds. No piece shall weigh more than 500 pounds."

Page 02495-3, Paragraph 3.1.6. After the fourth sentence in this paragraph, insert the following sentence:

"During the removal procedure, gate anchor GA1 must not be damaged in any manner including the application of heat."

Page 02920-4, Paragraph 1.2.2.1. Delete subparagraph (2) in its entirety and replace with the following subparagraph:

(2) The gates shall be disposed of in accordance with all federal, state and local requirements."

Page 02920-9, Paragraph 1.4.1. Delete the last sentence in this paragraph and replace with the following:

"The IH shall conduct regular onsite supervision and continued evaluation of the effectiveness of the plan and shall be onsite when the areas with lead based paint are being disturbed, which includes but is not limited to burning, grinding, sanding and moving the gates."

Page 05120-5, Paragraph 3.1.1. Delete the sentence in this paragraph and replace with the following:

" The fabricating plant shall be certified under the AISC quality certification program for Category Conventional Steel Buildings (bd) structural steelwork."

DRAWINGS

Include the following three(3) reference drawings in the set. The drawings are not drawn to scale and are for information only.

M-L25-20/7
M-L25-20/16A
M-L25-200/154

xxx